

italian  
quality



Made in Italy

Industria  
Leader

**SIRENA** S.p.A.



**Prodotti  
per carrelli  
elevatori**

**Products  
for forklift  
trucks**

**HVS.**

PRECONISATEUR DE SOLUTIONS DEPUIS 1985

2 rue René Laennec 51500 Taissy France E-mail: hvssystem@hvssystem.com  
Fax: 03 26 85 19 08, Tel : 03 26 82 49 29 Site web : www.hvssystem.com



# Indice

## Index

### Prodotti per carrelli elevatori Products for forklift trucks

#### Luci xeno multitemensione Multi-voltage xenon flashing beacons

**310-312**



ELEBLITZ 10÷100V 1F      FLASH ELEV 10÷100V 1F-2F



FLC 1200 10÷100V 1F      FLT ELEV 10÷100V 1F      MICROROT ISO B ELEV 10÷100V 1F



MINIFRESNEL ISO B ELEV 10÷100V 1F      MINITRUCK 120 10÷100V 1F      SFEROFLASH 10÷100V 1F



FLASH ELEV SL 10÷100V 1F-2F      MICROROT ISO B ELEV SL 10÷100V 1F



MINIFRESNEL ISO B ELEV SL 10÷100V 1F

#### Avisatori acustici multitemensione Multi-voltage back-up alarms

**313-314**



RES 10÷100V      RETRO ALLARM 10÷100V



SEN 10÷100V      BACK-UP ALARM SLOW BACK-UP ALARM FAST



BACK-UP ALARM V36L1      SVAR 10÷100V





Prodotti per carrelli elevatori . Products for forklift trucks

# Prodotti per carrelli elevatori

## Products for forklift trucks

V 10÷100		V 20÷80		Flash/min. 1F: 60÷130	2F: 2x75±10	IP 54
°C -30 +40	On		2	PC	autoestinguente self-extinguishing	

### Luce xeno multitemperatura - monolampo Multi-voltage xenon flashing beacon - single flash




ELEBLITZ 10÷100V 1F  
ELEBLITZ1F10100

①

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	650	950	830	870	970
	V	20 ÷ 48 ÷ 80				
	mA	240		280		240
	Cd(p)	800		880		950

ELEBLITZ1F10100D2 • 84561



Kg 0,36

### Luce xeno multitemperatura - monolampo o bilampo Multi-voltage xenon flashing beacon - single or double flash




FLASH ELEV 10÷100V 1F-2F  
FLELB1F10100

①

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	1000	1450	1500	1550	1600
	V	20 ÷ 48 ÷ 80				
	mA	240		280		240
	Cd(p)	800		1050		1100
2F	V	10 ÷ 100				
	mA	220 ÷ 50				
	Cd(p)	900 750				

FLELB1F10100D2 • 84524  
FLELB2F10100D2 • 84583



Kg 0,45

### Luce xeno multitemperatura - monolampo Multi-voltage xenon flashing beacon - single flash




FLC 1200 10÷100V 1F  
FLC12001F10100

①

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	950	1650	1650	1650	1700
	V	20 ÷ 48 ÷ 80				
	mA	240		280		240
	Cd(p)	800		910		1000

FLC12001F10100D2 • 84567



Kg 0,23

### Luce xeno multitemperatura - monolampo Multi-voltage xenon flashing beacon - single flash




FLT ELEV 10÷100V 1F  
FLTELEV1FL10100

①

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	1000	1450	1500	1550	1600
	V	20 ÷ 48 ÷ 80				
	mA	240		280		240
	Cd(p)	1350		1400		1450

FLTELEV1FL10100V • 84608



Kg 0,35

# Prodotti per carrelli elevatori

## Products for forklift trucks

V 10÷100		V 20÷80		Flash/min. 1F: 60÷130	IP 54
°C -30 +40		On		2 PC	autoestinguente self-extinguishing

### Luce xeno multitemensione - monolampo Multi-voltage xenon flashing beacon - single flash




**MICRODOT ISO B ELEV**  
10÷100V 1F  
MRTISOBEL10100

ⓑ

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	550	920	940	940	960
	V	20 ÷ 48 ÷ 80				
	mA	240	280	240		
	Cd(p)	850	910	1000		

MRTISOBEL10100D2 ● 84547



### Luce xeno multitemensione - monolampo Multi-voltage xenon flashing beacon - single flash




**MINIFRESNEL ISO B ELEV**  
10÷100V 1F  
MFRISOBEL1F10100

ⓑ

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	650	1130	1130	1130	1130
	V	20 ÷ 48 ÷ 80				
	mA	240	280	240		
	Cd(p)	800	1050	1100		

MFRISOBEL1F10100D2 ● 84582



### Luce xeno multitemensione - monolampo Multi-voltage xenon flashing beacon - single flash




**MINITRUCK 120**  
10÷100V 1F  
MTRUCK1201F10100

ⓐ

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	650	850	950	970	970
	V	20 ÷ 48 ÷ 80				
	mA	240	280	240		
	Cd(p)	800	960	985		

MTRUCK1201F10100D2 ● 84628



### Luce xeno multitemensione - monolampo Multi-voltage xenon flashing beacon - single flash




**SFEROFLASH**  
10÷100V 1F  
SFERO1F10100

ⓐ

1F	V	10 ÷ 24 ÷ 48 ÷ 80 ÷ 100				
	mA	270	190	110	75	60
	Cd(p)	850	1150	1300	1500	1500
	V	20 ÷ 48 ÷ 80				
	mA	240	280	240		
	Cd(p)	1300	1350	1400		

SFERO1F10100D2 ● 84546



# Prodotti per carrelli elevatori

## Products for forklift trucks

V 10÷100		V 20÷80		Flash/min. 1F: 60÷130	2F: 2x75±10	IP 20
SL:		°C -30 +40	On		2	PC

### Luce xeno multitensione - monolampo o bilampo - con segnale acustico incorporato Multi-voltage xenon flashing beacon - single or double flash - with built-in audible signal




**FLASH ELEV SL**  
**10÷100V 1F-2F**  
**FLELSL1F10100**

①

1F	V	mA	Cd(p)	dB(A)1m	Hz	2F	V	mA	Cd(p)	dB(A)1m	Hz
	10 ÷ 100	220 ± 50	1800	75 ÷ 85	2500 ± 100		10 ÷ 100	220 ± 50	900 750	75 ÷ 85	2500 ± 100

FLELSL1F10100D2 ● 84514  
FLELSL2F10100D2 ● 84584



### Luce xeno multitensione - monolampo - con segnale acustico incorporato Multi-voltage xenon flashing beacon - single flash - with built-in audible signal




**MICROROT ISO B ELEV SL**  
**10÷100V 1F**  
**MRTISOBELSL1F10100**

⑧

1F	V	mA	Cd(p)	dB(A)1m	Hz
	10 ÷ 100	220 ± 50	1000	75 ÷ 85	2500 ± 100

MRTISOBELSL1F10100D2 ● 84575



### Luce xeno multitensione - monolampo con segnale acustico incorporato Multi-voltage xenon flashing beacon - single flash - with built-in audible signal




**MINIFRESNEL ISO B ELEV SL**  
**10÷100V 1F**  
**MFRISOBELSL1F10100**

⑧

1F	V	mA	Cd(p)	dB(A)1m	Hz
	10 ÷ 100	220 ± 50	1800	75 ÷ 85	2500 ± 100

MFRISOBELSL1F10100D2 ● 24841



# Prodotti per carrelli elevatori

## Products for forklift trucks

V 10÷100	===	On ∞	IP 54	🎵 ---	°C -30 +50	autoestinguente self-extinguishing
----------	-----	------	-------	-------	------------	---------------------------------------

### Avvisatore acustico multitemperatura di retromarcia Multi-voltage back-up alarm




**RES 10÷100V\***  
**RES10100**

16

V ===	10 ÷ 100
mA	24 ÷ 12
dB(A)1m	92
dB(A)1m	82
Hz	2500

RES10100 52342



Kg 0,17

### Avvisatore acustico multitemperatura di retromarcia Multi-voltage back-up alarm




**RETO ALLARM**  
**10÷100V\* 1F**  
**RTA10100**

16

V ===	10 ÷ 100
mA	24 ÷ 12
dB(A)1m	92
dB(A)1m	82
Hz	2500

RTA10100 52331



Kg 0,19

### Avvisatore acustico multitemperatura di retromarcia Multi-voltage back-up alarm




**SEN 10÷100V\***  
**SEN10100**

16

V ===	10 ÷ 100
mA	24 ÷ 12
dB(A)1m	92
dB(A)1m	82
Hz	2500

SEN10100 52343



Kg 0,13

\* I dati in dB sono relativi al prodotto alimentato con 24V CC

\* The dB data refers to products supplied in 24V DC


V 6÷28 12÷48	===	On ∞	IP 54 55	🎵 — ---	°C -30 +50
-----------------	-----	------	-------------	---------	------------



**BACK-UP ALARM SLOW**  
**BACK-UP ALARM FAST**

SLOW		FAST	
V ===	6 ÷ 28	V ===	6 ÷ 28
mA	2,5 ÷ 40	mA	2,5 ÷ 25
dB(A)1m	85 ÷ 99	dB(A)1m	85 ÷ 99
Hz	2900	Hz	2900
🎵 ---	30 p/m	🎵 ---	160 p/m

BACK-UP ALARM SLOW PULSE 6÷28V 52346  
BACK-UP ALARM FAST PULSE 6÷28V 52345



Kg 0,04


IP 55



**BACK-UP ALARM V36L1**

<b>V36L1</b>	
V ===	6 ÷ 28
mA	175 ÷ 215
dB(A)1m	93.5
Hz	1300(±100)
🎵 ---	80 p/m

BACK-UP ALARM V36L1 12÷48V BIS 52348



Kg 0,29

# Prodotti per carrelli elevatori

## Products for forklift trucks

V 10÷100	≡≡≡	On ∞	IP 55	🎵 ---	°C -30 +50	autoestinguente self-extinguishing
----------	-----	------	-------	-------	------------	---------------------------------------


**Avvisatore acustico multitemperatura di retromarcia con intensità suono autoregolabile in base alla rumorosità ambientale**  
**Multi-voltage back-up alarm with self-adjustable sound intensity depending on ambient noise**



**SVAR 10÷100V**  
**SVAR10100**  
 (16 21)

V ≡≡≡	10 ÷ 100
mA	480 ÷ 50
dB(A)1m	88 ▲ 110
Hz	2500 (±100)

SVAR10100 52335



Prodotti per carrelli elevatori . Products for forklift trucks



**HVS**  
 PRÉCONSEILÉ DE SOLUTIONS DEPUIS 1986

2 rue René Laennec 51500 Taissy France  
 Fax: 03 26 85 19 08, Tel : 03 26 82 49 29

E-mail: hvssystem@hvssystem.com  
 Site web : www.hvssystem.com

**SIRENA** s.p.a.

www.sirena.it